



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

15,000. Total deaths, 24, including phthisis pulmonalis, 6; enteric fever, 1, and smallpox, 2.

Tampa.—Month of June, 1896. Estimated population, 26,000. Total deaths, 37, including phthisis pulmonalis, 3, and enteric fever, 1.

KENTUCKY—*Louisville*.—Month of June, 1896. Estimated population, 211,100. Total deaths, 264, including phthisis pulmonalis, 36; enteric fever, 1; diphtheria, 2, and whooping cough, 4.

MASSACHUSETTS—*Brockton*.—Month of June, 1896. Estimated population, 33,165. Total deaths, 44, including phthisis pulmonalis, 6; enteric fever, 1, and diphtheria and croup, 1.

Newton.—Month of June, 1896. Estimated population, 27,590. Total deaths, 42, including diphtheria, 1, and phthisis pulmonalis, 9.

MICHIGAN.—Week ended July 4, 1896. Reports to the State board of health from 53 observers indicate that cholera infantum and cholera morbus increased and that bronchitis decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 207 places, measles at 44, enteric fever at 25, whooping cough at 21, scarlet fever at 19, and diphtheria at 11 places.

NEW HAMPSHIRE—*Concord*.—Month of June, 1896. Estimated population, 19,000. Total deaths, 21, including enteric fever, 1; whooping cough, 1, and diphtheria, 1.

NEW YORK—*Syracuse*.—Month of June, 1896. Estimated population, 120,000. Total deaths, 119, including phthisis pulmonalis, 10; enteric fever, 3; scarlet fever, 1, and diphtheria, 5.

OHIO—*Dayton*.—Month of June, 1896. Estimated population, 85,000. Total deaths, 99, including phthisis pulmonalis, 12; smallpox, 1, and croup, 1.

Toledo.—Month of June, 1896. Estimated population, 122,760. Total deaths, 110, including phthisis pulmonalis, 13; enteric fever, 2; scarlet fever, 1; diphtheria, 3, and whooping cough, 4.

PENNSYLVANIA—*Williamsport*.—Month of June, 1896. Estimated population, 35,000. Total deaths, 17, including 3 from phthisis pulmonalis.

TENNESSEE—*Memphis*.—Month of June, 1896. Estimated population, white, 28,064; colored, 27,859; total, 55,923. Deaths, white, 63; colored, 62; total, 125, including phthisis pulmonalis, 21; enteric fever, 2, and whooping cough, 8.

Nashville.—Month of June, 1896. Estimated population, white, 54,595; colored, 33,159; total, 87,754. Deaths, white, 86; colored, 92; total, 178, including phthisis pulmonalis, 25; enteric fever, 3; croup, 2; diphtheria, 1; measles, 3, and whooping cough, 6.

PUBLICATIONS RECEIVED.

Report of the health officer of the city of Sacramento, Cal. 1895.